


Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China.

Different Cover Diffusers for Choice










Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Micro Aluminum LED Profiles For Furniture / Joinery Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP0809	Surface Mounted	5.2mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP0812	Surface Mounted	5.2mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1010C	Corner Mounted	6mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1207	Surface Mounted	10.1mm	0.5~3.0m	Clear PC Frosted PC Milky PC		

Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing.

2, Stock length 2m & 3m, customized lengths are available.





3, OEM surface colors are welcome, Like White paint, black, brown...

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Micro Aluminum LED Profiles For Furniture / Joinery Series





Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1010		8mm	0.5~3.0m	Frosted		
SJ-ALP1010-30D		8mm	0.5~3.0m	30° Optic Lens		
SJ-ALP1210		8mm	0.5~3.0m	Frosted		
SJ-ALP1210-30D		8mm	0.5~3.0m	30° Optic Lens		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Micro Aluminum LED Profiles For Furniture / Joinery Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1511		5mm	0.5~3.0m	Frosted		
SJ-ALP1533		6mm	0.5~3.0m	Frosted		
SJ-ALP2222		10mm	0.5~3.0m	Frosted		
SJ-ALP2409		5mm	0.5~3.0m	/		

Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing.

2, Stock length 2m & 3m, customized lengths are available.





3, OEM surface colors are welcome, Like White paint, black, brown...

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Corner Aluminum LED Profiles Series






Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1806	Bendable Led Profile	Max 13mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1616	Corner Mounted	Max 10mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1919F	Corner Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3030	Corner Mounted	Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series








Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1506	Surface Mounted	Max 11mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2206	Recessed Mounted	Max 11mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1612	Surface Mounted	Max 11mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2212	Recessed Mounted	Max 11mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1708	Surface Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1707F	Surface Mounted	Max 12mm	0.5~3.0m	60° Optic Lens		
SJ-ALP2508	Recessed Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1715B	Surface Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1715C	Surface Mounted	Max 12mm	0.5~3.0m	15° Optic Lens		
SJ-ALP2515B	Recessed Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		

Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing.

2, Stock length 2m & 3m, customized lengths are available.






3, OEM surface colors are welcome, Like White paint, black, brown...

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series





Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1707	Surface Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2507	Recessed Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2310	Surface Mounted	Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2910	Recessed Mounted	Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2520	Recessed Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2020	Surface Mounted Suspended Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1908	Floor Mounted	Max 13mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2621	Floor Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		







Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing.
 2, Stock length 2m & 3m, customized lengths are available.
 3, **OEM surface colors are welcome, Like White paint, black, brown...**

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series





Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2208	Surface Mounted	Max 18mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2908	Recessed Mounted	Max 18mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2216	Surface Mounted	Max 18mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2415	Surface Mounted	20mm	0.5~3.0m	Frosted		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series









Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2019	Surface Mounted	Max 15mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2019B	Recessed Mounted	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2016	Surface Mounted	Max 16mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2016B	Surface Mounted	Max 15mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Classical Aluminum LED Profiles Series




Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2119	Surface Mounted / Suspended	Max 15mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2119B	Surface Mounted / Suspended	Max 12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2030	Surface Mounted	Max 17mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1612H	Surface Mounted	Max 13mm	0.5~3.0m	10° Optic Lens		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Hidden Mounting Brackets Aluminum LED Profiles Series









Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2023	Surface Mounted	Max 16mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2023B	Surface Mounted	Max 16mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2033	Surface Mounted	Max 16mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP4317	Wall Mounted	12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Hidden Mounting Brackets Aluminum LED Profiles Series








Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2325		Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP2325B		Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3025		Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3020		Max 20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Specialist Aluminum LED Profiles Series





Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP6009B	Surface Mounted	12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP6528	Stair nose 	12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP5208	Flat Aluminum led profile for cabinet	12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP1834	Closet Rail 	Max 15mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Suspended steel cable not included, if needed, \$1.0usd/pcs 2, SJ-ALP1834, Mounting holders not included, Suspension mounting holder 1usd/pcs, End cap mounting holder 0.5usd/pcs						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Round Tubes Aluminum LED Profiles Series








Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALPO3030	Suspended Mounted	Max 21mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALPO3030R1	Suspended Mounted Vertical	Max 14mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALPO4040	Suspended Mounted	Max 28mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALPO6060	Suspended Mounted	Max 30mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP3613		10.5mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3815		10mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP7016		10mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP8080C		10mm	0.5~3.0m	Clear PC Frosted PC Milky PC		

Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing.

2, Stock length 2m & 3m, customized lengths are available.








3, OEM surface colors are welcome, Like White paint, black, brown...

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series









Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP2812	Tile in	5mm	0.5~3.0m	Frosted		
SJ-ALP3311		10.5mm	0.5~3.0m	Frosted		
SJ-ALP3311-FLEX	Flexible / Free bending	10.5mm	0.5~3.0m	Opal Silicone Diffuser		
SJ-ALP4812		10.5mm	0.5~3.0m	Frosted		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series









Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP7330		13mm	0.5~3.0m	Frosted		
SJ-ALP5213		10.5mm	0.5~3.0m	Frosted		
SJ-ALP5213-FLEX	Flexible / Free bending	10.5mm	0.5~3.0m	Opal Silicone Diffuser		
SJ-ALP5515		12mm	0.5~3.0m	Frosted		
SJ-ALP5515-FLEX	Flexible / Free bending	12mm	0.5~3.0m	Opal Silicone Diffuser		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series








Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP4714		20.4mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP4714-FLEX	Flexible / Free bending	20.4mm	0.5~3.0m	Opal Silicone Diffuser		
SJ-ALP4714A		20.4mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP6114B		20.4mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series











Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP6114		20.7mm	0.5~3.0m	Frosted		
SJ-ALP6114-FLEX	Flexible / Free bending	20.7mm	0.5~3.0m	Opal Silicone Diffuser		
SJ-ALP6117		20.7mm	0.5~3.0m	Frosted		
SJ-ALP6117-FLEX	Flexible / Free bending	20.7mm	0.5~3.0m	Opal Silicone Diffuser		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series








Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP4225		15.5mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP5825		15.5mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP7752		12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP10168		20mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series




Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP5318		10.5mm	0.5~3.0m	Frosted		
SJ-ALP5524		12mm	0.5~3.0m	Frosted		
SJ-ALP5524-FLEX	Flexible / Free bending	12mm	0.5~3.0m	Opal Silicone Diffuser		
SJ-ALP8818		37mm	0.5~3.0m	Frosted		
SJ-ALP9818		47.0mm	0.5~3.0m	Frosted		
SJ-ALP8016		10.5mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series








Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP1599		12mm	0.5~3.0m	Frosted		
SJ-ALP1896		13.9mm	0.5~3.0m	Frosted		
SJ-ALP18133		13.9mm	0.5~3.0m	Frosted		
SJ-ALP18119		13.9mm	0.5~3.0m	Frosted		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series







Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP4425		10.5mm	0.5~3.0m	Frosted		
SJ-ALP4822		10.5mm	0.5~3.0m	Frosted		
SJ-ALP5623		10.5mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3927		10.5mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series











Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP8570		20.7mm	0.5~3.0m	Frosted		
SJ-ALP9635		18.7mm	0.5~3.0m	Frosted		
SJ-ALP9635R		18.7mm	0.5~3.0m	Frosted		
SJ-ALP9552		20.7mm	0.5~3.0m	Frosted		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Plaster in Profiles for Architectural Lighting Series










Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP3535-R3		24mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3535-R5		24mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3535R6		12mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
SJ-ALP3535R8		24mm	0.5~3.0m	Clear PC Frosted PC Milky PC		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Linear Aluminum LED Profiles Series






Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALP5035		40mm	0.5~3.0m	Frosted		
SJ-ALP6535		40mm	0.5~3.0m	Frosted		
SJ-ALP6060R1		45mm	0.5~3.0m	Frosted		
SJ-ALP1221	Edge lighting glass or acrylic	9mm	0.5~3.0m	/		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						 

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Waterproof Aluminum LED Profiles Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-WALP1212	IP65 waterproof	Max 10mm	0.5~3.0m	Frosted PC		
SJ-WALP1808	IP65 waterproof	Max 12mm	0.5~3.0m	Frosted PC		
SJ-WALP2020	IP65 waterproof	Max 12mm	0.5~3.0m	Frosted PC		
SJ-WALP1617	IP65 waterproof	Max 12mm	0.5~3.0m	Frosted PC		
SJ-WALP2319	IP65 waterproof	Max 20mm	0.5~3.0m	Frosted PC		








Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing.
 2, Stock length 2m & 3m, customized lengths are available.
 3, OEM surface colors are welcome, Like White paint, black, brown...

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Aluminum LED Board Series

Item NO.	Installation	PCB Width	Length	Cover Type	Dimensions	Picture
SJ-ALB1002	Aluminum Board for strip	10mm	0.5~3.0m	/		
SJ-ALB1003	Aluminum Board for strip	10mm	0.5~3.0m	/		
SJ-ALB1202	Aluminum Board for strip	12mm	0.5~3.0m	/		
SJ-ALB2102	Aluminum Board for strip	20mm	0.5~3.0m	/		
Note: 1, Aluminum used 6063-T5 Aluminum Alloy with Double-Anodized Surface Finishing. 2, Stock length 2m & 3m, customized lengths are available. 3, OEM surface colors are welcome, Like White paint, black, brown...						

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Aluminum LED Profiles Accessories

Item NO.	Installation	Suitable models	Picture
SJ-ALP3535-SC	Suspension steel cable kit	ALP3535R3/ALP2020/ALPO3030/ALP6060-R1 All other suspended mounted profiles.	
SJ-WALP2020-MC	Wall mounted Clip for WALP2020	SJ-ALP2020, SJ-WALP2020	
SJ-ALP2520-SPMC	Recessed mounting Spring clip	SJ-ALP2520 / ALP3535R5 / ALP3535R8	
SJ-ALP5213-FOAM	10M a Roll	13x13mm Foam Filler for Plaster in profiles SJ-ALP3311 / 5213 / 3613 / 5318 / 4425 / 4822 / 3927 / 5623	
SJ-ALP6114-FOAM	10M a Roll	22x12mm Foam Filler for Plaster in profiles SJ-ALP4714 / 4714A / 6114 / 6114B / 6117 / 8570 / 9552 / 9635 / 9635R	

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Aluminum LED Profiles Accessories

Item NO.	Installation	Suitable models	Picture
SJ-ALP9818-FOAM	3M a Roll	48x16mm Foam Filler for Plaster in profile SJ-ALP9818	
Middle Connector	Straight Middle Connector	ALP1506, 1612, 1707, 1708, 1715B, 1616, 1919F	
Corner Connector	Corner Connector	ALP1506, 1612, 1707, 1708, 1715B, 1616, 1919F	
Rotatable Mounting Clip	Rotatable Mounting Clip	ALP1506, 1612, 1707, 1708, 1715B, 2310	

Sunjie Technology Co., Limited

www.sjtech-led.com E-mail: info@sjtech-led.com Tel: +86-132 6713 6851

Add: 4th FL, Hengguang Industrial Park, 69th Dongsheng Road, Huangcaolang Community, Dalang Town, Dongguan, Guangdong, China

Aluminum LED Profiles Accessories

Item NO.	Installation	Suitable models	Picture
/	Straight Middle Connector	8.8mm wide for SJ-ALP6114 / 6114B / 4714 / 4714A 10mm wide for SJ-ALP8818 / 9818 11.5mm wide for SJ-ALP3535R3/3535R5/3535R8	
/	Horizontal Corner Connector	8.8mm wide for SJ-ALP6114 / 6114B / 4714 / 4714A 10mm wide for SJ-ALP8818 / 9818 11.5mm wide for SJ-ALP3535R3/3535R5/3535R8	
/	Vertical Corner Connector	8.8mm wide for SJ-ALP6114 / 6114B / 4714 / 4714A 10mm wide for SJ-ALP8818 / 9818 11.5mm wide for SJ-ALP3535R3/3535R5/3535R8	
SJ-ALP1834-SMH	Suspension Mounting Holder	SJ-ALP1834	
SJ-ALP1834-SEMH	Square End Mounting Holder	SJ-ALP1834	